



Part Number : 1553212011

Product Description : Flamar Power Cable, WSOR Jacket, Braided Shielding Overall, 8 Circuits, 4x(6.00mm²) with Green-Yellow Ground + 2x(2x1.50mm² with Braided Shield) / 4x(10 AWG) with Green-Yellow Ground + 2x(2x16 AWG with Braided Shield), 17.90mm (.311") Diameter, 250.0m (820.21') Length, Orange

Series Number : 307965

Status : Active

Product Category : Industrial Cable

Engineering Number : 1X250M



Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
--------	--------

Category	Industrial Cable
Series	307965
Description	Flamar Power Cable, WSOR Jacket, Braided Shielding Overall, 8 Circuits, 4x(6.00mm ²) with Green-Yellow Ground + 2x(2x1.50mm ² with Braided Shield) / 4x(10 AWG) with Green-Yellow Ground + 2x(2x16 AWG with Braided Shield), 17.90mm (.311") Diameter, 250.0m (820.21') Length, Orange
Geographic Area	Global
Product Name	Flamar,Servo Motor
UPC	889056460972

Electrical

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	1000V

Physical

Bending Radius - Minimum	> 10xOD
Cable Length	250.0m
Circuits (Loaded)	8 (4+2+2)
Color - Cable Jacket	Orange
Insulation	TPE
Material - Outer Jacket	WSOR
Net Weight	0.010/g
Outer Jacket Diameter	17.90mm
Packaging Type	Reel
Temperature Range - Operating	-25° to +80°C
Wire/Cable Type	UL AWM 21939 / CSA
Wire Size (AWG)	10, 16
Wire Size mm ²	1.50, 6.00

Use with Part(s)

Description	Part Number
Brad M23 Signal Connectors	<u>120230</u>

