




**Part Number :** [936010367](#)  
**Product Description :** GWconnect Spring  
Terminal Insert, Female, 8-Pole, 16A,  
Numbered 17-32, Silver (Ag) Plated Contacts,  
Size 32B «77x62»  
**Series Number :** 93601  
**Status :** Active  
**Product Category :** Heavy-Duty Connectors  
**Engineering Number :** 7506.5834.0



## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

## Part Details

### General

Status	Active
Category	Heavy-Duty Connectors
Series	93601
Description	GWconnect Spring Terminal Insert, Female, 8-Pole, 16A, Numbered 17-32, Silver (Ag) Plated Contacts, Size 32B «77x62»
Component Type	Inserts - Spring Terminal
Insert Series	S-ESHV
Product Name	GWconnect
Standard	CSA C22.2 NO. 182.3, EN 60664-1, EN 61984, UL 1977
UPC	887191886251

## Agency

CSA	256883
UL	E249674

## Electrical

Current - Maximum per Contact	16.0A
Voltage - Maximum	830V

## Physical

Component Size	32B «77X62»
Durability (mating cycles max)	500
Gender	Female
Insert Color	Grey
Material - Contact	Copper Alloy
Material - Insert	Polycarbonate
Material - Plating	Silver
Number of Rows	2
Packaging Type	Bag
Polarized to Mating Part	Yes
Poles	8
Stripping Length	9.00-11.00mm
Temperature Range - Operating	-40° to +125°C

Wire Size (AWG)	14-26
Wire Size mm <sup>2</sup>	0.14-2.50

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
GWconnect Spring Terminal Insert, Male, 8-Pole, 16A, Numbered 17-32, Silver (Ag) Plated Contacts, Size 32B «77x62»	<u>936010369</u>

### Use with Part(s)

Description	Part Number
Use With	Size 32B «77x62» Hoods and Housings