



Part Number : [936010495](#)

Product Description : GWconnect Crimp Contact Power Module, Female, 1-Pole, 200A, for Crimp Contacts, Grey

Series Number : 93601

Status : Active

Product Category : Heavy-Duty Connectors

Engineering Number : 7701.3056.0



Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------|--------|
| Status | Active |
|--------|--------|

| | |
|----------------|--|
| Category | Heavy-Duty Connectors |
| Series | 93601 |
| Description | GWconnect Crimp Contact Power Module, Female, 1-Pole, 200A, for Crimp Contacts, Grey |
| Component Type | Power Module |
| Product Name | GWconnect |
| UPC | 887191823447 |

Agency

| | |
|----|---------|
| UL | E249674 |
|----|---------|

Electrical

| | |
|-------------------------------|--------|
| Current - Maximum per Contact | 200.0A |
| Voltage - Maximum | 1000V |

Physical

| | |
|--------------------------------|----------------|
| Color - Resin | Gray |
| Durability (mating cycles max) | 500 |
| Gender | Female |
| Material - Housing | Polycarbonate |
| Net Weight | 18.350/g |
| Packaging Type | Bag |
| Polarized to Mating Part | Yes |
| Poles | 1 |
| Temperature Range - Operating | -40° to +125°C |

Mates With / Use With

Mates with Part(s)

| Description | Part Number |
|--|------------------|
| GWconnect Crimp Contact Power Module, Male, 1-Pole, 200A, for Crimp Contacts, Grey | <u>936010496</u> |

Use with Part(s)

| Description | Part Number |
|-------------|-------------|
|-------------|-------------|

| | |
|----------|--|
| Use With | 200.0A Turned Female Crimp Contacts |
|----------|--|

This document was generated on Mar 27, 2025