



**Part Number :** [936011295](#)  
**Product Description :** GWconnect STD - Standard, Double Lever Hood, Die-cast Aluminum, with 2 Levers, Top Entry, Size 10B «57x27», Pg16 Extended Thread, Grey  
**Series Number :** 93601  
**Status :** Active  
**Product Category :** Heavy-Duty Connectors  
**Engineering Number :** 7810.5062.0



## Documents & Resources

**Drawings**  
[936011295\\_sd.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                |
|--------------------|------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                   |
| China RoHS         |                                                |
| EU ELV             | Not Relevant                                   |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                 |
| REACH SVHC         | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS            | Compliant per EU 2015/863                      |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

|                |                                                                                                                                        |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Status         | Active                                                                                                                                 |
| Category       | Heavy-Duty Connectors                                                                                                                  |
| Series         | 93601                                                                                                                                  |
| Description    | GWconnect STD - Standard, Double Lever Hood, Die-cast Aluminum, with 2 Levers, Top Entry, Size 10B «57x27», Pg16 Extended Thread, Grey |
| Component Type | Double Lever Hood                                                                                                                      |
| IP Rating      | IP66                                                                                                                                   |
| Product Name   | GWconnect                                                                                                                              |
| Standard       | ANSI/UL 50, ANSI/UL 50 E, CSA C22.2 No.94-1-2, EN 61984                                                                                |
| Type           | STD                                                                                                                                    |
| UPC            | 887191883021                                                                                                                           |

### Agency

|     |         |
|-----|---------|
| CSA | 256883  |
| UL  | E249674 |

### Electrical

|                   |      |
|-------------------|------|
| Voltage - Maximum | 500V |
|-------------------|------|

### Physical

|                     |                   |
|---------------------|-------------------|
| Component Size      | 10B «57X27»       |
| Entry Location      | Top               |
| Hood Coating        | Polyester Powder  |
| Hood Color          | GREY RAL 7037     |
| Lock to Mating Part | Yes               |
| Material - Hood     | Die-cast Aluminum |
| Material - Lever    | Galvanized Steel  |
| Net Weight          | 188.000/g         |
| Number of Levers    | 2                 |

|                |      |
|----------------|------|
| Packaging Type | Bag  |
| Thread Size    | Pg16 |
| Thread Type    | (Pg) |

---

#### Use with Part(s)

| Description | Part Number                                                                                   |
|-------------|-----------------------------------------------------------------------------------------------|
| Use With    | Size 10B «57x27» S-D, S-DD, S-E, S-EE, S-EP, S-ES, S-HSB, S-ESHV, S-K, S-M, and S-EHV Inserts |

---



---

This document was generated on Mar 27, 2025