

CABLE SERIES 155210 (Unshielded) – 155211 (Shielded)
Signal & Control - UL AWM recognized - PVC jacket
cUL US Style 2464 (80°C / 300V)

1. CONSTRUCTION DATA

1.1 CONDUCTOR:

Bare copper strand; according to EN 13602 - ETP1; stranding according to DIN VDE 0295, EN60228 Class 6
Stranded lay compliant with UL 758.

1.2 WIRE STRUCTURE:

Nominal Section (mm ²)	AWG	Stranding (nbr of wires x wire diameter in mm)	Diameter of stranded core (mm)	Max Resistance Ref. std. IEC 60344 (Ω/km)
0.25	24	32x0.10	0.62	85.8
0.34	22	42x0.10	0.80	65.3
0.50	21	28x0.15	0.95	42.3
0.75	19	42x0.15	1.20	27.7
1.00	18	52x0.15	1.32	22.4
1.50	16	81x0.15	1.50	14.4
2.50	14	133x0.15	2.10	8.7

1.3 INSULATION:

Thermoplastic Elastomer compound; Max Insulation resistance >600 MΩxkm (IEC60189-1&IEC60885-1 or EN50289-1-4);
nominal hardness 50 Shore D; according to UL758

1.4 INSULATION DIAMETER

Nominal Section (mm ²)	Nominal Ø (mm)	Nominal thickness (mm)
0.25	1.1	0.25
0.34	1.3	0.25
0.50	1.5	0.29
0.75	1.8	0.30
1.00	2.1	0.38
1.50	2.4	0.45
2.50	3.1	0.50

1.5 ASSEMBLY:

Cores stranded together in one or two layers (depending on the number of cores), where if necessary one or more fillers can be used for a better roundness.

1.6 SHIELD (only for 0.34mm², series 155211):

Braid type, tin copper wire; nominal optical Coverage 85%; tapes are used for protection of shield, PET foil under braid and Nonwovens TNT over braid.

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 1 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosé
THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION Template: TDS REV.0 22/07/2015			

1.7 JACKET:

PVC compound, nominal hardness 88 Shore A; Silicone, Pb,Cd,Hg & FCKW free; according to UL758.
For overall diameter, jacket and cores colors refer to Annex #1 and #2

2. TECHNICAL DATA

2.1 ELECTRICAL:

Voltage rating	300 Vrms
Voltage test on core (thick. <0.4mm)	2000 Vrms x 1 min. (IEC60885-1)
Voltage test on core (thick. ≥0.4mm)	2500 Vrms x 1 min. (IEC60885-1)
Voltage test (core/screen if present)	2000 Vrms x 1 min. (IEC60885-1)

2.2 TEMPERATURE:

Temperature range (fixed)	-5 °C to +80°C
Temperature range (flex)	+5 °C to +80°C (free motion without periodic recurrence and forced guidance)

2.3 CHEMICAL:

Oil resistance	ISO 6722 (20h@50°C)
Free of FCKW, Silicone and Pb	yes
Halogen free	no

2.4 PHYSICAL:

UV resistant	yes (UL1581/2556– 300h)
Max installation pulling force	50N
Bending radius (fixed)	>10xOD
Bending radius (flex)	>15xOD
Drag chain use	---
Torsion	---

2.5 FLAME:

UL Vertical Flame Test	pass
UL VW-1, CSA FT-1	pass
IEC 60332-1	pass
IEC 60332-2	pass

3. COMPLIANCE






Accordance to:	<ul style="list-style-type: none"> ▪ 2006/95/CE; 2004/108/CE; 2011/65/CE (RoHS) ▪ UL/CSA (UL AWM Style 2464, use: Internal wiring or external interconnection of electronic equipment) ▪ NFPA79-2012 circumstances mentioned in Chapter 12
----------------	---

4. PRINTING & PACKAGE

Printing text	Ink-jet type; conform to UL758
Package	available in different packaging sizes (<i>refer to Annex #1&#2</i>)





REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 2 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosé
THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION Template: TDS REV.0 22/07/2015			

ANNEX 1 (UNSHIELDED)

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*			
0,25	24	3	4,5	Black	S	3x200m	1552100001	 Brown-Blue-Black			
				Black	M	1x800m	1552100002				
				Black	L	1x1500m	1552100003				
				Grey	S	3x200m	1552100004				
				Grey	M	1x800m	1552100005				
				Grey	L	1x1500m	1552100006				
				Yellow	S	3x200m	1552100007				
				Yellow	M	1x800m	1552100008				
				Yellow	L	1x1500m	1552100009				
				Orange	S	3x200m	1552100010				
				Orange	M	1x800m	1552100011				
				Orange	L	1x1500m	1552100012				
		4	4,8	Black	S	3x200m	1552100013	 Brown-White-Blue-Black			
				Black	M	1x800m	1552100014				
				Black	L	1x1500m	1552100015				
				Grey	S	3x200m	1552100016				
				Grey	M	1x800m	1552100017				
				Grey	L	1x1500m	1552100018				
				Yellow	S	3x200m	1552100019				
				Yellow	M	1x800m	1552100020				
				Yellow	L	1x1500m	1552100021				
				Orange	S	3x200m	1552100022				
				Orange	M	1x800m	1552100023				
				Orange	L	1x1500m	1552100024				
		5	5,3	Black	S	3x200m	1552100025	 Brown-White-Blue-Black-Grey			
				Black	M	1x800m	1552100026				
				Black	L	1x1500m	1552100027				
				Grey	S	3x200m	1552100028				
				Grey	M	1x800m	1552100029				
				Grey	L	1x1500m	1552100030				
				Yellow	S	3x200m	1552100031				
				Yellow	M	1x800m	1552100032				
				Yellow	L	1x1500m	1552100033				
				8	6,4	Black	S		3x100m	1552100034	 White-Brown-Green-Yellow Gray-Pink-Blue-Red
						Black	M		1x500m	1552100035	
						Black	L		1x1000m	1552100036	
		Grey	S			3x100m	1552100037				
		Grey	M			1x500m	1552100038				
		Grey	L			1x1000m	1552100039				
		Yellow	S			3x100m	1552100040				
		Yellow	M			1x500m	1552100041				
		Yellow	L	1x1000m	1552100042						
		12	6,9	Black	S	3x100m	1552100043	 White-Brown-Green-Yellow- Gray-Pink-Blue Red-Black-Violet-Grey/Pink-Red/Blue			
				Black	M	1x500m	1552100044				
				Black	L	1x1000m	1552100045				
				Grey	S	3x100m	1552100046				
				Grey	M	1x500m	1552100047				
				Grey	L	1x1000m	1552100048				
Yellow	S			3x100m	1552100049						
Yellow	M			1x500m	1552100050						
Yellow	L	1x1000m	1552100051								






*Colour Sequence
for packaging size L: colors clockwise exit drum (as in sketch)
for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 3 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerose

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
0,34	22	3	4,8	Black	S	3x200m	1552100052	 Brown-Blue-Black
				Black	M	1x800m	1552100053	
				Black	L	1x1500m	1552100054	
				Grey	S	3x200m	1552100055	
				Grey	M	1x800m	1552100056	
				Grey	L	1x1500m	1552100057	
				Yellow	S	3x200m	1552100058	
				Yellow	M	1x800m	1552100059	
				Yellow	L	1x1500m	1552100060	
				Orange	S	3x200m	1552100061	
				Orange	M	1x800m	1552100062	
				Orange	L	1x1500m	1552100063	
		4	5,1	Black	S	3x200m	1552100064	 Brown-White-Blue-Black
				Black	M	1x800m	1552100065	
				Black	L	1x1500m	1552100066	
				Grey	S	3x200m	1552100067	
				Grey	M	1x800m	1552100068	
				Grey	L	1x1500m	1552100069	
				Yellow	S	3x200m	1552100070	
				Yellow	M	1x800m	1552100071	
				Yellow	L	1x1500m	1552100072	
				Orange	S	3x200m	1552100073	
				Orange	M	1x800m	1552100074	
				Orange	L	1x1500m	1552100075	
		5	5,5	Black	S	3x200m	1552100076	 Brown-White-Blue-Black-Grey
				Black	M	1x800m	1552100077	
				Black	L	1x1500m	1552100078	
				Grey	S	3x200m	1552100079	
				Grey	M	1x800m	1552100080	
				Grey	L	1x1500m	1552100081	
				Yellow	S	3x200m	1552100082	
				Yellow	M	1x800m	1552100083	
				Yellow	L	1x1500m	1552100084	
				Orange	S	3x200m	1552100085	
				Orange	M	1x800m	1552100086	
				Orange	L	1x1500m	1552100087	
5	5,5	Black	S	3x200m	1552100088	 Brown-White-Blue-Black-Yellow/Green		
		Black	M	1x800m	1552100089			
		Black	L	1x1500m	1552100090			
		Grey	S	3x200m	1552100091			
		Grey	M	1x800m	1552100092			
		Grey	L	1x1500m	1552100093			
		Yellow	S	3x200m	1552100094			
		Yellow	M	1x800m	1552100095			
		Yellow	L	1x1500m	1552100096			
		Orange	S	3x200m	1552100097			
		Orange	M	1x800m	1552100098			
		Orange	L	1x1500m	1552100099			

*Colour Sequence
for packaging size L: colors clockwise exit drum (as in sketch)
for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 4 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Leroso





mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*		
0,50	21	2	5,2	Black	S	3x200m	1552100100	 Blue-Brown		
				Black	M	1x800m	1552100101			
				Black	L	1x1500m	1552100102			
				Grey	S	3x200m	1552100103			
				Grey	M	1x800m	1552100104			
				Grey	L	1x1500m	1552100105			
		3	5,6	Black	S	3x100m	1552100106	 Brown-Blue-Yellow/Green		
				Black	M	1x500m	1552100107			
				Black	L	1x1000m	1552100108			
				Grey	S	3x100m	1552100109			
				Grey	M	1x500m	1552100110			
				Grey	L	1x1000m	1552100111			
		4	5,9	Orange	S	3x100m	1552100112	 Brown-Blue-Black-Yellow/Green		
				Orange	M	1x500m	1552100113			
				Orange	L	1x1000m	1552100114			
				Black	S	3x100m	1552100115			
				Black	M	1x500m	1552100116			
				Black	L	1x1000m	1552100117			
		5	6,2	Grey	S	3x100m	1552100118	 Brown-White-Blue-Black-Yellow/Green		
				Grey	M	1x500m	1552100119			
				Grey	L	1x1000m	1552100120			
				Black	S	3x100m	1552100121			
				Black	M	1x500m	1552100122			
				Black	L	1x1000m	1552100123			
		12	8,7	Grey	S	3x100m	1552100124	 Black numbered in White + Yellow/Green		
				Grey	M	1x500m	1552100125			
				Grey	L	1x1000m	1552100126			
				Black	S	1x200m	1552100127			
				Black	M	1x500m	1552100128			
				Black	L	1x1000m	1552100129			
						Grey	S	1x200m	1552100130	
						Grey	M	1x500m	1552100131	
				Grey	L	1x1000m	1552100132			

*Colour Sequence

for packaging size L: colors clockwise exit drum (as in sketch)

for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 5 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosè

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
0,75	19	2	6	Black	S	3x100m	1552100133	 Blue-Brown
				Black	M	1x500m	1552100134	
				Black	L	1x1000m	1552100135	
				Grey	S	3x100m	1552100136	
				Grey	M	1x500m	1552100137	
				Grey	L	1x1000m	1552100138	
		3	6,4	Black	S	3x100m	1552100139	 Brown-Blue-Yellow/Green
				Black	M	1x500m	1552100140	
				Black	L	1x1000m	1552100141	
				Grey	S	3x100m	1552100142	
				Grey	M	1x500m	1552100143	
				Grey	L	1x1000m	1552100144	
		4	7,0	Black	S	3x100m	1552100145	 Brown-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100146	
				Black	L	1x1000m	1552100147	
				Grey	S	3x100m	1552100148	
Grey	M			1x500m	1552100149			
Grey	L			1x1000m	1552100150			
5	7,5	Black	S	3x100m	1552100151	 Brown-White-Blue-Black-Yellow/Green		
		Black	M	1x500m	1552100152			
		Black	L	1x1000m	1552100153			
		Grey	S	3x100m	1552100154			
		Grey	M	1x500m	1552100155			
		Grey	L	1x1000m	1552100156			

*Colour Sequence

for packaging size L: colors clockwise exit drum (as in sketch)

for packaging size M and S; colors counterclockwise

REVISION HISTORY

Rev.A 04/11/2015 RELEASED

ECR/ECN INFORMATION:

TITLE:

SIGNAL & CONTROL – PVC jacket

Page

6 of 10

Document Number:

1552100001 PS P1E A

Created/Revised by:

M. Arrigoni

Checked by:

A. Defendi

Approved by:











C. Leroso

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
1,00	18	2	6,7	Black	S	3x100m	1552100157	 Blue-Brown
				Black	M	1x500m	1552100158	
				Black	L	1x1000m	1552100159	
				Grey	S	3x100m	1552100160	
				Grey	M	1x500m	1552100161	
				Grey	L	1x1000m	1552100162	
		3	7,1	Black	S	3x100m	1552100163	 Brown-Blue-Yellow/Green
				Black	M	1x500m	1552100164	
				Black	L	1x1000m	1552100165	
				Grey	S	3x100m	1552100166	
				Grey	M	1x500m	1552100167	
				Grey	L	1x1000m	1552100168	
		4	7,6	Black	S	3x100m	1552100169	 Brown-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100170	
				Black	L	1x1000m	1552100171	
				Grey	S	3x100m	1552100172	
				Grey	M	1x500m	1552100173	
				Grey	L	1x1000m	1552100174	
		5	8,3	Black	S	1x200m	1552100175	 Brown-White-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100176	
				Black	L	1x1000m	1552100177	
				Grey	S	1x200m	1552100178	
				Grey	M	1x500m	1552100179	
				Grey	L	1x1000m	1552100180	
		7	9,6	Black	S	1x200m	1552100181	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100182	
				Black	L	1x1000m	1552100183	
				Grey	S	1x200m	1552100184	
				Grey	M	1x500m	1552100185	
				Grey	L	1x1000m	1552100186	
		11	11,5	Black	S	1x100m	1552100187	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100188	
				Black	L	1x1000m	1552100189	
				Grey	S	1x100m	1552100190	
				Grey	M	1x500m	1552100191	
				Grey	L	1x1000m	1552100192	
		12	11,5	Black	S	1x100m	1552100193	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100194	
				Black	L	1x1000m	1552100195	
				Grey	S	1x100m	1552100196	
				Grey	M	1x500m	1552100197	
				Grey	L	1x1000m	1552100198	
		17	13,4	Black	S	1x100m	1552100199	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100200	
				Black	L	1x1000m	1552100201	
				Grey	S	1x100m	1552100202	
				Grey	M	1x500m	1552100203	
				Grey	L	1x1000m	1552100204	
25	16,0	Black	S	1x100m	1552100205	 Black numbered in White + Yellow/Green		
		Black	M	1x250m	1552100206			
		Black	L	1x500m	1552100207			
		Grey	S	1x100m	1552100208			
		Grey	M	1x250m	1552100209			
		Grey	L	1x500m	1552100210			

*Colour Sequence

for packaging size L: colors clockwise exit drum (as in sketch)
for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 7 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosse
THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION Template: TDS REV.0 22/07/2015			

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
1,5	16	2	7,1	Black	S	3x100m	1552100211	 Blue-Brown
				Black	M	1x500m	1552100212	
				Black	L	1x1000m	1552100213	
				Grey	S	3x100m	1552100214	
				Grey	M	1x500m	1552100215	
				Grey	L	1x1000m	1552100216	
		3	7,3	Black	S	3x100m	1552100217	 Brown-Blue-Yellow/Green
				Black	M	1x500m	1552100218	
				Black	L	1x1000m	1552100219	
				Grey	S	3x100m	1552100220	
				Grey	M	1x500m	1552100221	
				Grey	L	1x1000m	1552100222	
		4	7,9	Black	S	3x100m	1552100223	 Brown-White-Blue-Black
				Black	M	1x500m	1552100224	
				Black	L	1x1000m	1552100225	
				Grey	S	3x100m	1552100226	
				Grey	M	1x500m	1552100227	 Brown-Blue-Black-Yellow/Green
				Grey	L	1x1000m	1552100228	
				Black	S	3x100m	1552100229	
				Black	M	1x500m	1552100230	
				Black	L	1x1000m	1552100231	
				Grey	S	3x100m	1552100232	
				Grey	M	1x500m	1552100233	
				Grey	L	1x1000m	1552100234	
		5	8,6	Black	S	1x200m	1552100235	 Brown-White-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100236	
				Black	L	1x1000m	1552100237	
				Grey	S	1x200m	1552100238	
				Grey	M	1x500m	1552100239	
				Grey	L	1x1000m	1552100240	
		7	10,5	Black	S	1x100m	1552100241	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100242	
				Black	L	1x1000m	1552100243	
				Grey	S	1x100m	1552100244	
				Grey	M	1x500m	1552100245	
				Grey	L	1x1000m	1552100246	
		11	12,7	Black	S	1x100m	1552100247	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100248	
				Black	L	1x1000m	1552100249	
				Grey	S	1x100m	1552100250	
				Grey	M	1x500m	1552100251	
				Grey	L	1x1000m	1552100252	
12	12,7	Black	S	1x100m	1552100253	 Black numbered in White + Yellow/Green		
		Black	M	1x500m	1552100254			
		Black	L	1x1000m	1552100255			
		Grey	S	1x100m	1552100256			
		Grey	M	1x500m	1552100257			
		Grey	L	1x1000m	1552100258			
17	14,7	Black	S	1x100m	1552100259	 Black numbered in White + Yellow/Green		
		Black	M	1x500m	1552100260			
		Black	L	1x1000m	1552100261			
		Grey	S	1x100m	1552100262			
		Grey	M	1x500m	1552100263			
		Grey	L	1x1000m	1552100264			
25	17,7	Black	S	1x100m	1552100265	 Black numbered in White + Yellow/Green		
		Black	M	1x250m	1552100266			
		Black	L	1x500m	1552100267			
		Grey	S	1x100m	1552100268			
		Grey	M	1x250m	1552100269			
		Grey	L	1x500m	1552100270			

*Colour Sequence: for packaging size L: colors clockwise exit drum (as in sketch); for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 8 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerose

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
2,5	14	2	8,8	Black	S	1x200m	1552100271	 Blue-Brown
				Black	M	1x500m	1552100272	
				Black	L	1x1000m	1552100273	
				Grey	S	1x200m	1552100274	
				Grey	M	1x500m	1552100275	
				Grey	L	1x1000m	1552100276	
		3	9,3	Black	S	1x200m	1552100277	 Brown-Blue-Yellow/Green
				Black	M	1x500m	1552100278	
				Black	L	1x1000m	1552100279	
				Grey	S	1x200m	1552100280	
				Grey	M	1x500m	1552100281	
				Grey	L	1x1000m	1552100282	
		4	10,1	Black	S	1x100m	1552100283	 Brown-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100284	
				Black	L	1x1000m	1552100285	
				Grey	S	1x100m	1552100286	
				Grey	M	1x500m	1552100287	
				Grey	L	1x1000m	1552100288	
		5	11,3	Black	S	1x100m	1552100289	 Brown-White-Blue-Black-Yellow/Green
				Black	M	1x500m	1552100290	
				Black	L	1x1000m	1552100291	
				Grey	S	1x100m	1552100292	
				Grey	M	1x500m	1552100293	
				Grey	L	1x1000m	1552100294	
		7	13,3	Black	S	1x100m	1552100295	 Black numbered in White + Yellow/Green
				Black	M	1x500m	1552100296	
				Black	L	1x1000m	1552100297	
				Grey	S	1x100m	1552100298	
				Grey	M	1x500m	1552100299	
				Grey	L	1x1000m	1552100300	
		11	15,7	Black	S	1x100m	1552100301	 Black numbered in White + Yellow/Green
				Black	M	1x250m	1552100302	
Black	L			1x500m	1552100303			
Grey	S			1x100m	1552100304			
Grey	M			1x250m	1552100305			
Grey	L			1x500m	1552100306			
12	15,9	Black	S	1x100m	1552100307	 Black numbered in White + Yellow/Green		
		Black	M	1x250m	1552100308			
		Black	L	1x500m	1552100309			
		Grey	S	1x100m	1552100310			
		Grey	M	1x250m	1552100311			
		Grey	L	1x500m	1552100312			
17	18,5	Black	S	1x100m	1552100313	 Black numbered in White + Yellow/Green		
		Black	M	1x250m	1552100314			
		Black	L	1x500m	1552100315			
		Grey	S	1x100m	1552100316			
		Grey	M	1x250m	1552100317			
		Grey	L	1x500m	1552100318			
25	22,3	Black	S	1x350m	1552100319	 Black numbered in White + Yellow/Green		
		Black	M	1x500m				
		Grey	S	1x350m	1552100322			





*Colour Sequence

for packaging size L: colors clockwise exit drum (as in sketch)

for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 9 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosse
THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION Template: TDS REV.0 22/07/2015			

ANNEX 2 (SHIELDED)

mm ²	AWG	Number of conductors	Outer Diameter (mm)	Jacket color	Packaging size	Packaging composition	Standard order number	Sketch*
0,34	22	3	5,4	Black	S	3x200m	1552110001	 Brown-Blue-Black
				Black	M	1x800m	1552110002	
				Black	L	1x1500m	1552110003	
				Grey	S	3x200m	1552110004	
				Grey	M	1x800m	1552110005	
				Grey	L	1x1500m	1552110006	
				Yellow	S	3x200m	1552110007	
				Yellow	M	1x800m	1552110008	
				Yellow	L	1x1500m	1552110009	
				Orange	S	3x200m	1552110010	
				Orange	M	1x800m	1552110011	
				Orange	L	1x1500m	1552110012	
		4	5,7	Black	S	3x100m	1552110013	 Brown-White-Blue-Black
				Black	M	1x500m	1552110014	
				Black	L	1x1000m	1552110015	
				Grey	S	3x100m	1552110016	
				Grey	M	1x500m	1552110017	
				Grey	L	1x1000m	1552110018	
				Yellow	S	3x100m	1552110019	
				Yellow	M	1x500m	1552110020	
				Yellow	L	1x1000m	1552110021	
				Orange	S	3x100m	1552110022	
				Orange	M	1x500m	1552110023	
				Orange	L	1x1000m	1552110024	
		5	6,1	Black	S	3x100m	1552110025	 Brown-White-Blue-Black-Grey
				Black	M	1x500m	1552110026	
				Black	L	1x1000m	1552110027	
				Grey	S	3x100m	1552110028	
				Grey	M	1x500m	1552110029	
				Grey	L	1x1000m	1552110030	
				Yellow	S	3x100m	1552110031	
				Yellow	M	1x500m	1552110032	
				Yellow	L	1x1000m	1552110033	
				Orange	S	3x100m	1552110034	
				Orange	M	1x500m	1552110035	
				Orange	L	1x1000m	1552110036	
		5	6,1	Black	S	3x100m	1552110037	 Brown-White-Blue-Black-Yellow/Green
				Black	M	1x500m	1552110038	
				Black	L	1x1000m	1552110039	
				Grey	S	3x100m	1552110040	
				Grey	M	1x500m	1552110041	
				Grey	L	1x1000m	1552110042	
				Yellow	S	3x100m	1552110043	
				Yellow	M	1x500m	1552110044	
				Yellow	L	1x1000m	1552110045	
				Orange	S	3x100m	1552110046	
				Orange	M	1x500m	1552110047	
				Orange	L	1x1000m	1552110048	

*Colour Sequence
for packaging size L: colors clockwise exit drum (as in sketch)
for packaging size M and S; colors counterclockwise

REVISION HISTORY Rev.A 04/11/2015 RELEASED	ECR/ECN INFORMATION:	TITLE: SIGNAL & CONTROL – PVC jacket	Page 10 of 10
Document Number: 1552100001 PS P1E A	Created/Revised by: M. Arrigoni	Checked by: A. Defendi	Approved by: C. Lerosse