



Part Number : [1200651426](#)


Product Description : Micro-Push (M12) Single-Ended Cordset, 4 Poles, A-Coded, Female (90°)-to-Pigtail, 22 AWG, Unshielded PVC Cable, 5.0m (16.40') Length

Series Number : 120065

Status : Obsolete

Product Category : Circular Industrial Cordsets

Engineering Number : N04001A41M050G



Documents & Resources

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Obsolete
Category	Circular Industrial Cordsets
Series	120065
Description	Micro-Push (M12) Single-Ended Cordset, 4 Poles, A-Coded, Female (90°)-to-Pigtail, 22 AWG, Unshielded PVC Cable, 5.0m (16.40') Length
IP Rating	IP65
Product Name	Micro-Push
Protocol	N/A
Type	Single Ended
UPC	78678851098

Agency

UL	E152210
----	---------

Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	250V AC/DC

Physical

Cable Diameter	4.70mm (.185")
Cable Length	5.0m (16.40')
Color - Cable Jacket	Black
Connector End A	Micro-Push (M12)
Connector End B	Pigtail
Coupling Style	Push to Lock
Gender	Female-Pigtail
Keyway	A-Coded
LED Indicator	None
Material - Cable Jacket	PVC
Material - Connector Body	Nylon
Material - Contact	Copper Alloy
Material - Coupling Nut	N/A
Material - Plating Mating	Gold
Orientation	90° to Pigtail

Poles	4
Temperature Range - Operating	-25° to +105°C
Wire/Cable Type	Unshielded PVC
Wire Size (AWG)	22

This document was generated on Mar 28, 2025