



**Part Number :** [1203411060](#)

**Product Description :** Standard RJ-45 CAT6A Double-Ended Cordset, 8 Poles, Male (Straight) to Male (Straight), 26 AWG, Green Teal Shielded TPE Cable, 40.0m (131.20') Length, with ID Tag

**Series Number :** 120341

**Status :** Active

**Product Category :** Circular Industrial Cordsets

**Engineering Number :** E66E06021M400H



---

## Documents & Resources

### Drawings

[1203411060\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|                      |  |
|----------------------|--|
| Status               | Active   |
| Category             | Circular Industrial Cordsets   |
| Series               | 120341   |
| Description          | Standard RJ-45 CAT6A Double-Ended Cordset, 8 Poles, Male (Straight) to Male (Straight), 26 AWG, Green Teal Shielded TPE Cable, 40.0m (131.20') Length, with ID Tag |
| IP Rating            | IP20   |
| Performance Category | 6A   |
| Product Name         | Industrial Ethernet,RJ45   |
| Type                 | Double Ended   |
| UPC                  | 195842630505   |

### Electrical

|                               |                       |
|-------------------------------|-----------------------|
| Current - Maximum per Contact | 0.5A                  |
| Voltage - Maximum             | 30V AC (RMS) / 42V DC |

### Physical

|                           |                  |
|---------------------------|------------------|
| Cable Diameter            | 7.30mm (.287")   |
| Cable Length              | 40.0m (131.20')  |
| Color - Cable Jacket      | Green Teal       |
| Connector End A           | RJ-45 (standard) |
| Connector End B           | RJ-45 (standard) |
| Coupling Style            | Push and Latch   |
| Gender                    | Male-Male        |
| Keyway                    | N/A              |
| LED Indicator             | None             |
| Material - Cable Jacket   | TPE              |
| Material - Connector Body | TPU              |
| Material - Contact        | Phosphor Bronze  |
| Material - Coupling Nut   | N/A              |
| Material - Plating Mating | Gold             |

|                               |                      |
|-------------------------------|----------------------|
| Orientation                   | Straight to Straight |
| Poles                         | 8                    |
| Temperature Range - Operating | -25° to +80°C        |
| Wire/Cable Type               | Shielded TPE         |
| Wire Size (AWG)               | 26                   |

---

This document was generated on Mar 27, 2025