



Part Number : [1210560054](#)


Product Description : Brad mPm Junior Timer to Pigtail, C4 Circuit, Red LED, 20 AWG Black PUR Cable, 3.0m (9.84') Length, 24V

Series Number : 121056

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number : EJT1B2N300C42



NO IMAGE AVAILABLE

Documents & Resources

Drawings

[1210560054_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Part Details

General

Status	Active
Category	Circular Industrial Cordsets
Series	121056
Description	Brad mPm Junior Timer to Pigtail, C4 Circuit, Red LED, 20 AWG Black PUR Cable, 3.0m (9.84') Length, 24V
IP Rating	IP65
Product Name	mPm
Protocol	N/A
Type	Single Ended
UPC	883906338329

Electrical

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	24V

Physical

Cable Diameter	5.60mm (.220")
Cable Length	3.0m (9.84')
Color - Cable Jacket	Black
Connector End A	Brad mPm Junior Timer
Connector End B	Pigtail
Coupling Style	Push on
Gender	Male-Pigtail
Keyway	None
LED Indicator	Red
Material - Cable Jacket	PUR
Material - Connector Body	Polypropylene
Material - Contact	Phosphor Bronze
Material - Coupling Nut	N/A

Material - Plating Mating	Silver
Net Weight	234.140/g
Orientation	90° to Pigtail
Poles	2
Temperature Range - Operating	-40° to +90°C
Wire/Cable Type	UL 20668
Wire Size (AWG)	20

This document was generated on Mar 27, 2025