



Part Number : [1300030051](#)


Product Description : Quick-Change Receptacle, 4 Pole, 1/2" - 14 NPT, Male (Straight) to 12 AWG Leads, 0.30m (11.81") Length

Series Number : 130003

Status : Active

Product Category : Circular Industrial Connectors

Engineering Number : 32680




Documents & Resources

Drawings

[1300030051_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

| | |
|--------------|--|
| Status | Active |
| Category | Circular Industrial Connectors |
| Series | 130003 |
| Description | Quick-Change Receptacle, 4 Pole, 1/2" - 14 NPT, Male (Straight) to 12 AWG Leads, 0.30m (11.81") Length |
| IP Rating | IP67 |
| Product Name | Quick-Change |
| Type | Single Ended (pigtail) |
| UPC | 78678832680 |

Agency

| | |
|-----|--------|
| CSA | LR6837 |
| UL | E46237 |

Electrical

| | |
|-------------------------------|------------|
| Current - Maximum per Contact | 20.0A |
| Voltage - Maximum | 600V AC/DC |

Physical

| | |
|-------------------------------|-----------------|
| Coupling Type | External Thread |
| Gender | Male |
| Keyway | Single |
| Length | 0.305m |
| Material - Component | Nylon |
| Mounting Thread Size | 1/2" - 14 NPT |
| Net Weight | 421.000/g |
| Orientation | Straight |
| Panel Mount | Front |
| Poles | 4 |
| Temperature Range - Operating | -20° to +105°C |

| | |
|-----------------|---------|
| Wire/Cable Type | UL 1015 |
| Wire Size (AWG) | 12 |

This document was generated on Mar 27, 2025