



Part Number : [1300230002](#)

Product Description : Super-Safeway Single Button, 2 Pin, Single-Pole, Single-Throw, Normally Closed, 10A, Snap Action Switch, Nitrile/PVC Switch Boot, 125/250V AC, Mini-Change Connection

Series Number : 130128

Status : Active

Product Category : Push Button Products

Engineering Number : 55502



Documents & Resources

Drawings

[1300230002_sd.pdf](#)

Specifications

[1300230001_APPSPEC-000.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Part Details

General

| | |
|------------------|---|
| Status | Active |
| Category | Push Button Products |
| Series | 130128 |
| Description | Super-Safeway Single Button, 2 Pin, Single-Pole, Single-Throw, Normally Closed, 10A, Snap Action Switch, Nitrile/PVC Switch Boot, 125/250V AC, Mini-Change Connection |
| Enclosure Rating | Weather Resistant |
| Product Name | Super-Safeway |
| Type | Enabling Switch, PushButton Pendant Station |
| UPC | 78678855502 |

Agency

| | |
|-----|---------|
| CSA | LR44136 |
| UL | E70531 |

Electrical

| | |
|-------------------|-------------------|
| Voltage - Maximum | 125V AC / 250V AC |
|-------------------|-------------------|

Physical

| | |
|---------------------|----------|
| Cord Diameter | N/A |
| Cord Grip Body Size | N/A |
| Cord Length | N/A |
| Cord Type | N/A |
| Emergency Stop | No |
| Material - Body | Nylon |
| Net Weight | 69.399/g |
| Number of Speeds | Single |
| Packaging Type | Carton |
| Poles | 1 |

This document was generated on Mar 27, 2025