

**Part Number :** [1300300041](#)

**Product Description :** Nano-Change (M8) to Micro-Change (M12) Double-Ended Cordset, 5 Poles, Male (Straight) to Female (90°), 26 AWG, Gray PVC Cable, 1.0m (3.28') Length

**Series Number :** 130030

**Status :** Active

**Product Category :** Circular Industrial Cordsets

**Engineering Number :** 845031D12M010




## Documents & Resources

### Drawings

[1300300041\\_sd.pdf](#)

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead; bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Circular Industrial Cordsets
Series	130030
Description	Nano-Change (M8) to Micro-Change (M12) Double-Ended Cordset, 5 Poles, Male (Straight) to Female (90°), 26 AWG, Gray PVC Cable, 1.0m (3.28') Length
IP Rating	IP67
Product Name	DeviceNet
Type	Double Ended
UPC	78678857877

### Electrical

Current - Maximum per Contact	2.0A
Voltage - Maximum	60V AC / 75V DC

### Physical

Cable Diameter	5.33mm (.210")
Cable Length	1.0m (3.28')
Color - Cable Jacket	Gray
Connector End A	Nano-Change (M8)
Connector End B	Micro-Change (M12)
Coupling Style	Threaded
Gender	Female-Male
Keyway	Single
LED Indicator	None
Material - Cable Jacket	PVC
Material - Connector Body	TPE

Material - Contact	Copper Alloy
Material - Coupling Nut	Nickel-plated Brass
Material - O-Ring	Nitrile Rubber
Material - Plating Mating	Gold
Net Weight	60.781/g
Orientation	90° to Straight
Poles	5
Temperature Range - Operating	-25° to +80°C
Wire/Cable Type	Ultra Thin
Wire Size (AWG)	26

---

This document was generated on Mar 27, 2025