



Part Number : [1300850372](#)

Product Description : Woodhead POW-R-MATIC Heavy Duty Cable Reel with Retraction  
Weight of 7lbs., 6/3 Type W, 15.24m (50.0')  
Cord Length with Flying Leads

Series Number : 130085

Status : Active

Product Category : Electrical Reels

Engineering Number : 92736



---

## Documents & Resources

### Specifications

[510651000-PS-JAP-000.pdf](#)

[510651000-PS-KOR-000.pdf](#)

[510651000-PS-SPA-000.pdf](#)

[510651000-PS-CHI-000.pdf](#)

---

## Product Environment Compliance

### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

Status	Active
Category	Electrical Reels
Series	130085
Description	Woodhead POW-R-MATIC Heavy Duty Cable Reel with Retraction Weight of 7lbs., 6/3 Type W, 15.24m (50.0') Cord Length with Flying Leads
Comments	Applications: Vertical Lift, Drag, Recovery and Horizontal Stretch with 10% Sag.
Enclosure Rating	NEMA 3R
NEMA Configuration	N/A
Product Name	POW-R-MATIC
Type	Cable Reel
UPC	78678879353

### Agency

CSA	LR29921
-----	---------

### Electrical

Current - Maximum per Contact	45.0A
GFCI	No
Lamp Wattage - Maximum	N/A
On/Off Switch	N/A
Voltage - Maximum	600V

### Physical

Bulb Included	N/A
Cable Length	N/A
Cable Movement	Ratchet Lock
Cord Length	15.24m (50.0')
Cord Type	6/3 Type W

Depth	0.58m (22.750")
Drum Lock	Ratchet
Duty	Heavy
Guide Arm	Option Available
Height	0.59m (23.38")
Lamp Type	N/A
Material - Coating	Powder Coating
Material - Housing	Steel
Mounting Style	Rigid
Number of Conductors	3
Packaging Type	Carton
Primary Cord/Cable Entry	1" NPT
Retraction Weight	3.2kg (7.0 lb)
Width	577.90mm (22.75")
Wire Size (AWG)	6