



Part Number : 1300870095

Product Description : Woodhead Super-Safeway Heavy Duty Hand Wind Reel with 3 Conductor Slip Ring, 12/3 SOW, 15.24m (50.0') Cord Length

Series Number : 130087

Status : Not Recommended For New Design

Product Category : Electrical Reels

Engineering Number : 932B123



Documents & Resources

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Not Recommended For New Design
Category	Electrical Reels
Series	130087
Description	Woodhead Super-Safeway Heavy Duty Hand Wind Reel with 3 Conductor Slip Ring, 12/3 SOW, 15.24m (50.0') Cord Length
Comments	Hand Wind Reels are design for heavy duty industrial storage applications
Enclosure Rating	NEMA 1
NEMA Configuration	NEMA 5-15
Product Name	Super-Safeway
Type	Hand Wind Reel
UPC	78678800872

Agency

UL	E19795
----	--------

Electrical

Current - Maximum per Contact	15.0A
GFCI	No
Lamp Wattage - Maximum	N/A
On/Off Switch	N/A
Voltage - Maximum	120V

Physical

Bulb Included	N/A
Cable Length	N/A
Cable Movement	Manual
Cord Length	15.24m (50.0')
Cord Type	12/3 SOW
Depth	0.34m (13.25")
Drum Lock	None
Duty	Industrial

Height	0.45m (17.6")
Lamp Type	N/A
Material - Coating	Powder Coating
Material - Housing	Steel
Mounting Style	N/A
Number of Conductors	3
Number of Receptacles	1
Packaging Type	Carton
Primary Cord/Cable Entry	N/A
Retraction Weight	N/A
Width	241.30mm (9.500")
Wire Size (AWG)	12

This document was generated on Mar 27, 2025