



**Part Number :** [1300920187](#)

**Product Description :** Aero-Motive Self-Contained Slip Ring, 75A, 6 AWG, 10 Conductors, Bore Size 38.10mm (1.500") Diameter

**Series Number :** 130092

**Status :** Active

**Product Category :** Slip Rings

**Engineering Number :** SR410



---

## Product Environment Compliance

### Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|          |            |
|----------|------------|
| Status   | Active     |
| Category | Slip Rings |

|                |  |
|----------------|--|
| Series         | 130092   |
| Description    | Aero-Motive Self-Contained Slip Ring, 75A, 6 AWG, 10 Conductors, Bore Size 38.10mm (1.500") Diameter |
| Component Type | Self-Contained   |
| Product Name   | Aero-Motive  |
| UPC            | 78678867836  |

### Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 75.0A |
| Voltage - Maximum             | 600V  |

### Physical

|                               |                      |
|-------------------------------|----------------------|
| Center Bore Diameter          | 38.10mm (1.500")     |
| Mounting Style                | Horizontal, Vertical |
| Number of Conductors          | 10                   |
| Packaging Type                | Carton               |
| Speed (RPM)                   | Continuous 125       |
| Temperature Range - Operating | -40°C to +120°C      |
| Wire Size (AWG)               | 6                    |