



Part Number : [1300980202](#)

Product Description : MAX-LOC Multi-Hole Strain Relief, 1/2" NPT, Straight Male, Cable Diameter 3.96mm (.156")

Series Number : 130098

Status : Active

Product Category : Cable Grips

Engineering Number : 5594-007



Documents & Resources

Drawings

[1300980202_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| GADSL/IMDS | Not saleable |
| China RoHS | Not saleable |
| EU ELV | Not saleable |
| Low-Halogen Status | Not saleable |
| REACH SVHC | Not saleable |
| EU RoHS | Not saleable |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------|---|
| Status | Active |
| Category | Cable Grips |
| Series | 130098 |
| Description | MAX-LOC Multi-Hole Strain Relief, 1/2" NPT, Straight Male, Cable Diameter 3.96mm (.156") |
| Comments | Indicates that one or more grommet hole is covered by a thin membrane which can easily be "Poked" open if required. |
| NEMA Rating | NEMA 3R |
| Product Name | MAX-LOC |
| Type | Strain Relief Grip |
| UPC | 78678850418 |

Agency

| | |
|-----|---------|
| CSA | LR32159 |
| UL | E76954 |

Physical

| | |
|----------------------------|----------------|
| Approximate Break Strength | N/A |
| Bale Length | N/A |
| Body Style | Straight |
| Cable Diameter | 3.96mm (.156") |
| Color - Grommet | Yellow |
| Eye Type | N/A |
| Gender | Male |
| Material - Body | Nylon |
| Material - Grip | N/A |
| Mesh Length | N/A |
| Net Weight | 1.000/g |
| Number of Holes | 2, 3, or 4 |
| O-Ring | No |
| Thread Size | 1/2" NPT |

Use with Part(s)

| Description | Part Number |
|--|-------------------|
| MAX-LOC Lock Nut 1/2" NPT | <u>1300990143</u> |
| MAX-LOC Gasket Sealing Ring, 1/2" NPT, Black | <u>1300990149</u> |
| MAX-LOC O-Ring, 1/2" NPT | <u>1301800314</u> |

This document was generated on Mar 27, 2025