



Part Number : [1300990096](#)

Product Description : MAX-LOC Strain Relief Cord-Sealing Grip, 3/4" NPT, Straight Male, Cable Diameter 12.70-15.88mm (.500-.625"), Stainless Steel Mesh

Series Number : 130099

Status : Active

Product Category : Cable Grips

Engineering Number : 5538M



Documents & Resources

Drawings

[1300990096_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------|---|
| Status | Active |
| Category | Cable Grips |
| Series | 130099 |
| Description | MAX-LOC Strain Relief Cord-Sealing Grip, 3/4" NPT, Straight Male, Cable Diameter 12.70-15.88mm (.500-.625"), Stainless Steel Mesh |
| NEMA Rating | NEMA 3R |
| Product Name | MAX-LOC |
| Type | Strain Relief Grip |
| UPC | 78678855384 |

Agency

| | |
|-----|---------|
| CSA | LR32159 |
|-----|---------|

Physical

| | |
|----------------------------|----------------------------|
| Approximate Break Strength | N/A |
| Bale Length | N/A |
| Body Style | Straight |
| Cable Diameter | 12.70-15.88mm (.500-.625") |
| Color - Grommet | Gray |
| Eye Type | N/A |
| Gender | Male |
| Material - Body | Nylon |
| Material - Grip | Stainless Steel |
| Mesh Length | N/A |
| Number of Holes | 1 |
| O-Ring | No |
| Thread Size | 3/4" NPT |

Use with Part(s)

| | |
|-------------|-------------|
| Description | Part Number |
|-------------|-------------|

| | |
|--|-------------------|
| MAX-LOC Lock Nut 3/4" NPT | <u>1300990144</u> |
| MAX-LOC Gasket Sealing Ring, 3/4" NPT, Black | <u>1300990150</u> |
| MAX-LOC O-Ring, 3/4" NPT | <u>1301800333</u> |

This document was generated on Mar 27, 2025