

# molex

Part Number : 1301030017

Product Description : Watertite Wet Location Incandescent Hand Lamp, 100W with Screw Release Grounded Guard, Cord Type 16/3 SOOW, 30.48m (100.0') Cord Length

Series Number : 130103

Status : Active

Product Category : Lamps and Lights

Engineering Number : 1203D163



---

## Product Environment Compliance

### Compliance

|                    |   |
|--------------------|---|
| GADSL/IMDS         | Not Relevant                                  |
| China RoHS         | Not Reviewed per SJ/T 11365-2006              |
| EU ELV             | Not Relevant                                  |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21               |
| REACH SVHC         | Not Reviewed per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS            | Not Reviewed per EU 2015/863                  |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|        |        |
|--------|--------|
| Status | Active |
|--------|--------|

|                    |   |
|--------------------|---|
| Category           | Lamps and Lights  |
| Series             | 130103  |
| Description        | Watertite Wet Location Incandescent Hand Lamp, 100W with Screw Release Grounded Guard, Cord Type 16/3 SOOW, 30.48m (100.0') Cord Length |
| NEMA Configuration | NEMA 5-15   |
| NEMA Rating        | NEMA 4X   |
| Product Name       | Watertite   |
| Type               | Hand Lamps  |
| UPC                | 78678835590   |

### Agency

|     |         |
|-----|---------|
| CSA | LR85374 |
|-----|---------|

### Electrical

|                             |         |
|-----------------------------|---------|
| Lamp Wattage - Maximum      | 100W    |
| Lumens                      | 1000    |
| On/Off Switch               | No      |
| Voltage (Fixture) - Maximum | 120V AC |

### Physical

|                         |                            |
|-------------------------|----------------------------|
| Bulb Type               | Incandescent               |
| Cord Length - Primary   | 30.48m (100.0')            |
| Cord Length - Secondary | N/A                        |
| Cord Type - Primary     | 16/3 SOOW                  |
| Depth                   | 120.65mm (4.750")          |
| Duty                    | Wet Location               |
| Guard Included          | Yes                        |
| Guard Type              | Grounded, Screw Release    |
| Height                  | 457.20mm (18.000")         |
| Lamp Type               | A21                        |
| Length                  | N/A                        |
| Material - Globe        | Tempered Glass             |
| Material - Guard        | #8 Gauge Zinc-plated Steel |

|                |           |
|----------------|-----------|
| Mounting Style | Hand Held |
| Outlet         | None      |
| Packaging Type | Carton    |

---

This document was generated on Mar 27, 2025