



Part Number : [1301050067](#)

Product Description : Watertite Wet Location  
60W Flood Light with In-line Transformer,  
Switch Screw Release Guard, 14/2 SOOW,  
Overall Length 7.62m (50.0')

Series Number : 130105

Status : Active

Product Category : Lamps and Lights

Engineering Number : 1692-12BS



---

## Product Environment Compliance

### Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|          |                  |
|----------|------------------|
| Status   | Active           |
| Category | Lamps and Lights |

|                    |  |
|--------------------|--|
| Series             | 130105   |
| Description        | Watertite Wet Location 60W Flood Light with In-line Transformer, Switch Screw Release Guard, 14/2 SOOW, Overall Length 7.62m (50.0') |
| NEMA Configuration | NEMA 5-15  |
| NEMA Rating        | NEMA 4X  |
| Product Name       | Watertite  |
| Type               | Hand Lamps, Specialty Light  |
| UPC                | 78678861575  |

### Agency

|     |         |
|-----|---------|
| CSA | LR85374 |
|-----|---------|

### Electrical

|                               |              |
|-------------------------------|--------------|
| Lamp Wattage - Maximum        | 60W          |
| Lumens                        | 600          |
| On/Off Switch                 | Yes          |
| Voltage (Fixture) - Maximum   | 120VAC 60 HZ |
| Voltage (Secondary) - Maximum | 12V AC       |

### Physical

|                         |                              |
|-------------------------|------------------------------|
| Bulb Type               | Quartz Halogen               |
| Cord Length - Primary   | 3.04m (10.0')                |
| Cord Length - Secondary | 15.24m (50.0')               |
| Cord Type - Primary     | 16/3 SOOW                    |
| Cord Type - Secondary   | 14/2 SOOW                    |
| Depth                   | N/A                          |
| Duty                    | Wet Location                 |
| Guard Included          | Yes                          |
| Guard Type              | Screw Release                |
| Height                  | 127.00mm (5.000")            |
| Lamp Type               | PAR36                        |
| Length                  | 228.60mm (9.000")            |
| Material - Guard        | #10 Gauge Vinyl Coated Steel |
| Mounting Style          | Hand Held                    |

|                |        |
|----------------|--------|
| Outlet         | None   |
| Packaging Type | Carton |

---

This document was generated on Mar 27, 2025