



**Part Number :** [1301260366](#)

**Product Description :** Super-Safeway Single Button, 3 Pin, Single-Pole, Double-Throw, Normally Open/Normally Closed, 10A, Snap Action Switch, Silicone Switch Boot, 125/250V AC, Mini-Change Connection

**Series Number :** 130126

**Status :** Active

**Product Category :** Push Button Products

**Engineering Number :** 55503S



---

## Documents & Resources

### Drawings

[1301260366\\_sd.pdf](#)

### Specifications

[1300230001\\_APPSPEC-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Not Reviewed per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Push Button Products
Series	130126
Description	Super-Safeway Single Button, 3 Pin, Single-Pole, Double-Throw, Normally Open/Normally Closed, 10A, Snap Action Switch, Silicone Switch Boot, 125/250V AC, Mini-Change Connection
Enclosure Rating	Weather Resistant
Product Name	Super-Safeway
Type	Enabling Switch, PushButton Pendant Station
UPC	78172563636

### Agency

UL	E70531
----	--------

### Electrical

Voltage - Maximum	125V AC / 250V AC
-------------------	-------------------

### Physical

Cord Diameter	N/A
Cord Grip Body Size	N/A
Cord Length	N/A
Cord Type	N/A
Emergency Stop	No
Material - Body	Nylon
Net Weight	1.000/g
Number of Speeds	Single

Packaging Type	Carton
Poles	1

---

This document was generated on Mar 27, 2025