



**Part Number :** [1301380086](#)

**Product Description :** Watertite Multiple Outlet Pendant Box, GFCI, (1) NEMA 5-15 Duplex with Flip Lids, 1.83m (6.0') Cord Length, 12/3 SOOW Cord, Double Eye Wire Mesh Support Grip

**Series Number :** 130138

**Status :** Active

**Product Category :** Power Distribution

**Engineering Number :** 70W47L143GF



---

## Product Environment Compliance

### Compliance

|                    |   |
|--------------------|---|
| GADSL/IMDS         | Not Relevant                                  |
| China RoHS         | Not Relevant                                  |
| EU ELV             | Not Relevant                                  |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21               |
| REACH SVHC         | Not Reviewed per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS            | Not Relevant                                  |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|                    |   |
|--------------------|---|
| Status             | Active  |
| Category           | Power Distribution  |
| Series             | 130138  |
| Description        | Watertite Multiple Outlet Pendant Box, GFCI, (1) NEMA 5-15 Duplex with Flip Lids, 1.83m (6.0') Cord Length, 12/3 SOOW Cord, Double Eye Wire Mesh Support Grip |
| Enclosure Rating   | NEMA 4  |
| NEMA Configuration | NEMA 5-15   |
| Product Name       | Watertite   |
| Type               | Multiple Outlet Box   |
| UPC                | 78678823268   |

## Electrical

|                               |        |
|-------------------------------|--------|
| Current - Maximum per Contact | 15.0A  |
| GFCI                          | Yes    |
| GFCI Reset                    | Manual |
| Ground Continuity Monitor     | No     |
| Open Neutral Relay            | No     |
| Voltage - Maximum             | 120V   |

## Physical

|                       |                 |
|-----------------------|-----------------|
| Cord Diameter         | 13.59mm (.535") |
| Cord Grip Body Size   | F3 3/4"         |
| Cord Length           | 1.83m (6.0')    |
| Cord Type             | 14/3 SOOW       |
| Feed-Thru             | No              |
| Flip Lid              | Yes             |
| Material - Housing    | Rubber          |
| Mounting Style        | Portable        |
| Net Weight            | 186.880/kg      |
| Number of Receptacles | 1               |
| Packaging Type        | Carton          |
| Receptacle Type       | Duplex          |

---

---

This document was generated on Mar 27, 2025