



Part Number : [1301430121](#)

Product Description : Watertite Extreme Cordset 12 Gauge SOOW, 2 Pole/3 Wire, Cordset Length 7.62m (25.0'), NEMA 5-20 125V

Series Number : 130143

Status : Active

Product Category : Wiring Devices

Engineering Number : 14W33A123



Documents & Resources

Drawings

[1301430121_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------------|--|
| Status | Active |
| Category | Wiring Devices |
| Series | 130143 |
| Description | Watertite Extreme Cordset 12 Gauge SOOW, 2 Pole/3 Wire, Cordset Length 7.62m (25.0'), NEMA 5-20 125V |
| IP Rating | IP67 |
| NEMA Configuration | NEMA 5-20 |
| Product Name | Watertite Extreme |
| Specialty | N/A |
| Type | Cordset |
| UPC | 78678871005 |

Agency

| | |
|-----|--------|
| CSA | LR6837 |
| UL | E38085 |

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 20.0A |
| GFCI | No |
| Voltage - Maximum | 125V |

Physical

| | |
|---------------------|---------------|
| Cord Grip Body Size | F2 1/2" |
| Cord Type | 12/3 SOOW |
| Flange | No |
| Flip Lid | No |
| Gender | Male-Female |
| Length | 7.62m (25.0') |
| Lighted Connector | No |
| Locking Blade | No |
| Net Weight | 333.000/g |

| | |
|-----------------|---------------|
| Poles | 2-pole/3-wire |
| Receptacle Type | Single |

This document was generated on Mar 27, 2025