



Part Number : [1301460099](#)

Product Description : Watertite Extreme Connector with Locking Blade, 2 Pole/3 Wire, NEMA L5-15, 125V, Cord Grip Body Size F2, Silicone Husk

Series Number : 130146

Status : Active

Product Category : Wiring Devices

Engineering Number : 25W47



---

## Product Environment Compliance

### Compliance

|                    |   |
|--------------------|---|
| GADSL/IMDS         | Not Relevant                                  |
| China RoHS         |   |
| EU ELV             | Not Relevant                                  |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21               |
| REACH SVHC         | Not Reviewed per D(2024)6225-DC (07 Nov 2024) |
| EU RoHS            | Compliant with Exemption 6(c) per EU 2015/863 |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

## General

|                    |  |
|--------------------|--|
| Status             | Active   |
| Category           | Wiring Devices   |
| Series             | 130146   |
| Description        | Watertite Extreme Connector with Locking Blade, 2 Pole/3 Wire, NEMA L5-15, 125V, Cord Grip Body Size F2, Silicone Husk |
| IP Rating          | IP69K  |
| NEMA Configuration | NEMA L5-15   |
| Product Name       | Watertite Extreme  |
| Specialty          | N/A  |
| Type               | Connector  |
| UPC                | 78678871302  |

## Agency

|     |        |
|-----|--------|
| CSA | LR6837 |
| UL  | E10176 |

## Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 15.0A |
| GFCI                          | No    |
| Voltage - Maximum             | 125V  |

## Physical

|                     |               |
|---------------------|---------------|
| Cord Grip Body Size | F2 1/2"       |
| Cord Type           | N/A           |
| Flange              | No            |
| Flip Lid            | No            |
| Gender              | Female        |
| Length              | N/A           |
| Lighted Connector   | No            |
| Locking Blade       | Yes           |
| Net Weight          | 193.683/g     |
| Poles               | 2-pole/3-wire |
| Receptacle Type     | Single        |

---

---

This document was generated on Mar 27, 2025