



Part Number : [1301470177](#)

Product Description : Watertite Extreme Receptacle with Locking Blade, Single Flip Coverplate, 4 Pole/5 Wire, NEMA L21-30, 3ø 208V

Series Number : 130147

Status : Active

Product Category : Wiring Devices

Engineering Number : 69W81



---

## Documents & Resources

### Drawings

[1301470177\\_sd.pdf](#)

### 3D Models and Design Files

[1301470177\\_stp.zip](#)

---

## Product Environment Compliance

### Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

|                    |  |
|--------------------|--|
| Status             | Active   |
| Category           | Wiring Devices   |
| Series             | 130147   |
| Description        | Watertite Extreme Receptacle with Locking Blade, Single Flip Coverplate, 4 Pole/5 Wire, NEMA L21-30, 3Ø 208V |
| IP Rating          | IP67   |
| NEMA Configuration | NEMA L21-30  |
| Product Name       | Watertite Extreme  |
| Specialty          | N/A  |
| Type               | Receptacle   |
| UPC                | 78678871581  |

### Agency

|    |        |
|----|--------|
| UL | E68122 |
|----|--------|

### Electrical

|                               |         |
|-------------------------------|---------|
| Current - Maximum per Contact | 30.0A   |
| GFCI                          | No      |
| Voltage - Maximum             | 3Ø 208V |

### Physical

|                   |               |
|-------------------|---------------|
| Cord Type         | N/A           |
| Flange            | No            |
| Flip Lid          | Yes           |
| Gender            | Female        |
| Length            | N/A           |
| Lighted Connector | No            |
| Locking Blade     | Yes           |
| Poles             | 4-pole/5-wire |
| Receptacle Type   | Single        |

---

---

This document was generated on Mar 27, 2025