



Part Number : [1301530017](#)

Product Description : Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Manual Reset, Flying Lead (Primary), Tri-Tap NEMA 5-15 Receptacle (Secondary), 15A, 120V, 0.61m Cord Length

Series Number : 130153

Status : Active

Product Category : Power Distribution

Engineering Number : 09484



Documents & Resources

Drawings

[1301530017_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Relevant
EU RoHS	Not Relevant

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Power Distribution
Series	130153
Description	Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Manual Reset, Flying Lead (Primary), Tri-Tap NEMA 5-15 Receptacle (Secondary), 15A, 120V, 0.61m Cord Length
Enclosure Rating	NEMA 3R
NEMA Configuration	NEMA 5-15
Product Name	Super-Safeway
Type	GFCI Industrial Duty, Single Phase
UPC	78678801730

Electrical

Current - Maximum per Contact	15.0A
GFCI	Yes-In-line
GFCI Reset	Manual
Ground Continuity Monitor	No
Open Neutral Relay	Yes
Voltage - Maximum	120V, 240V

Physical

Cord Diameter	10.67mm (.420")
Cord Grip Body Size	Internal Double C-Clamp
Cord Length	0.61m (2.0')
Cord Type	12/3 SJEOOW
Feed-Thru	Yes
Flip Lid	No
Material - Housing	Nylon
Mounting Style	Portable
Net Weight	0.837/kg
Number of Receptacles	3

Packaging Type	Carton
Receptacle Type	Triple

This document was generated on Mar 27, 2025