



**Part Number :** [1552309019](#)

**Product Description :** Flamar Distribution Box Cable, PUR Jacket, Unshielded, 19 Circuits, 3x(0.75mm<sup>2</sup>) with Green-Yellow Ground + 16x(0.34mm<sup>2</sup>) / 3x(19 AWG) with Green-Yellow Ground + 16x(22 AWG), 10.20mm (.402") Diameter, 100.0m (328.08') Length, Black

**Series Number :** 307963

**Status :** Active

**Product Category :** Industrial Cable

**Engineering Number :** 1X100M



---

## Documents & Resources

### Specifications

[1552309001-P1E.pdf](#)

---

## Product Environment Compliance

### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Industrial Cable
Series	307963
Description	Flamar Distribution Box Cable, PUR Jacket, Unshielded, 19 Circuits, 3x(0.75mm <sup>2</sup> ) with Green-Yellow Ground + 16x(0.34mm <sup>2</sup> ) / 3x(19 AWG) with Green-Yellow Ground + 16x(22 AWG), 10.20mm (.402") Diameter, 100.0m (328.08') Length, Black
Geographic Area	Global
Product Name	Flamar,Signal and Control
UPC	889056451369

### Electrical

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	1000V

### Physical

Bending Radius - Minimum	> 10xOD
Cable Length	100.0m
Circuits (Loaded)	19 (3+16)
Color - Cable Jacket	Black
Insulation	TPE
Material - Outer Jacket	PUR
Net Weight	0.010/g
Outer Jacket Diameter	10.20mm
Packaging Type	Reel
Temperature Range - Operating	-40° to +80°C
Wire/Cable Type	UL AWM 21223 / CSA
Wire Size (AWG)	19, 22
Wire Size mm <sup>2</sup>	0.34, 0.75

---

Use with Part(s)

Description	Part Number
Brad M23 Signal Connectors	<u>120230</u>
Brad M23 Signal Connectors	<u>120233</u>

---

This document was generated on Mar 27, 2025