



Part Number : [2210400008](#)

Product Description : Brad mPm DIN Form A-18mm 3 Pole Plus Ground H12 to Pigtail, Nitrile Integrated Gasket and Screw, 1.00mm² Black WSOR UL Cable, 2.0m (6.56') Length, 250V

Series Number : 221040

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number : E153W4A2002P



Documents & Resources

Drawings

[2210400008_sd.pdf](#)

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Circular Industrial Cordsets
Series	221040
Description	Brad mPm DIN Form A-18mm 3 Pole Plus Ground H12 to Pigtail, Nitrile Integrated Gasket and Screw, 1.00mm ² Black WSOR UL Cable, 2.0m (6.56') Length, 250V
IP Rating	IP65
Product Name	mPm
Type	Single Ended
UPC	889056738750

Electrical

Current - Maximum per Contact	5.0A
Voltage - Maximum	250V

Physical

Cable Diameter	7.60mm (.299")
Cable Length	2.0m (6.56')
Color - Cable Jacket	Black
Connector End A	Brad mPm DIN A - 18mm
Connector End B	Pigtail
Coupling Style	Push on
Gender	Male-Pigtail
Keyway	None
LED Indicator	None
Material - Cable Jacket	WSOR UL
Material - Connector Body	Polypropylene
Material - Contact	Brass
Material - Coupling Nut	N/A
Material - Plating Mating	Silver
Orientation	90° to Pigtail
Poles	3

Temperature Range - Operating	-40° to +90°C
Wire/Cable Type	UL 21215
Wire Size (AWG)	18

This document was generated on Mar 27, 2025