



Part Number : [848547022](#)

Product Description : DeviceNet Micro-Change Single-Ended Cordset, 5 Poles, Female (Straight) to Pigtail,, NMEA 2000 Style Cable, 1.0m (3.28') Length, meets NMEA 2000

Series Number : 84854

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number : NMEA-DND20NB-M010



Documents & Resources

Drawings

[848547022_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Relevant |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS | Not Reviewed per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Part Details

General

| | |
|--------------|--|
| Status | Active |
| Category | Circular Industrial Cordsets |
| Series | 84854 |
| Description | DeviceNet Micro-Change Single-Ended Cordset, 5 Poles, Female (Straight) to Pigtail,, NMEA 2000 Style Cable, 1.0m (3.28') Length, meets NMEA 2000 |
| IP Rating | IP67 |
| Product Name | Micro-Change (M12) |
| Protocol | N/A |
| Type | Single Ended |
| UPC | 822350909204 |

Electrical

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 4.0A |
| Voltage - Maximum | 250V |

Physical

| | |
|---------------------------|--------------------|
| Cable Diameter | 5.72mm (.225") |
| Cable Length | 1.0m (3.28') |
| Color - Cable Jacket | Gray |
| Connector End A | Micro-Change (M12) |
| Connector End B | Pigtail |
| Coupling Style | Threaded |
| Gender | Female-Pigtail |
| Keyway | Single |
| LED Indicator | None |
| Material - Cable Jacket | PVC |
| Material - Connector Body | PVC |
| Material - Contact | Copper Alloy |

| | |
|-------------------------------|---------------------|
| Material - Coupling Nut | Nickel-plated Brass |
| Material - Plating Mating | Gold |
| Orientation | Straight to Pigtail |
| Poles | 5 |
| Temperature Range - Operating | -20° to +105°C |
| Wire/Cable Type | Thin Standard Cable |
| Wire Size (AWG) | 22 |

This document was generated on Mar 27, 2025