



Part Number : [848569115](#)

Product Description : Mini-Change Single-Ended Cordset, 4 Poles, Female (Straight) to Pigtail, 16 AWG, PVC Cable, 10.0m (32.81') Length, meets NMEA 2000

Series Number : 84856

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number :
NMEA104000A01M1003



Documents & Resources

Drawings

[848569115_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Relevant |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2024)7663-DC (21 Jan 2025) |
| EU RoHS | Not Reviewed per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

| | |
|--------------|--|
| Status | Active |
| Category | Circular Industrial Cordsets |
| Series | 84856 |
| Description | Mini-Change Single-Ended Cordset, 4 Poles, Female (Straight) to Pigtail, 16 AWG, PVC Cable, 10.0m (32.81') Length, meets NMEA 2000 |
| IP Rating | IP67 |
| Product Name | Mini-Change |
| Protocol | N/A |
| Type | Single Ended |
| UPC | 78172540650 |

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 10.0A |
| Voltage - Maximum | 600V |

Physical

| | |
|---------------------------|---------------------|
| Cable Diameter | 5.08mm (.200") |
| Cable Length | 10.0m (32.81') |
| Color - Cable Jacket | Yellow |
| Connector End A | Mini-Change |
| Connector End B | Pigtail |
| Coupling Style | Threaded |
| Gender | Female-Pigtail |
| Keyway | Single |
| LED Indicator | None |
| Material - Cable Jacket | PVC |
| Material - Connector Body | PVC |
| Material - Contact | Copper Alloy |
| Material - Coupling Nut | Nickel-plated Brass |
| Material - Plating Mating | Gold |

| | |
|-------------------------------|----------------------|
| Orientation | Straight to Pigtail |
| Poles | 4 |
| Temperature Range - Operating | -20° to +105°C |
| Wire/Cable Type | Thick Standard Cable |
| Wire Size (AWG) | 16 |

This document was generated on Mar 26, 2025