



**Part Number :** [936011538](#)

**Product Description :** GWconnect HE - Harsh Environment, Double Lever Surface Mount Housing, Die-cast Aluminum, with 2 Levers, with Gasket, Size 10B <<57x27>>, Pg16 Thread, Black

**Series Number :** 93601

**Status :** Active

**Product Category :** Heavy-Duty Connectors

**Engineering Number :** 7810.6322.1



---

## Documents & Resources

### Drawings

[936011538\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |   |
|--------------------|---|
| GADSL/IMDS         | Not Relevant                                |
| China RoHS         |   |
| EU ELV             | Not Relevant                                |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21             |
| REACH SVHC         | Not Contained per ED/71/2019 (16 July 2019) |
| EU RoHS            | Compliant per EU 2015/863                   |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

|                |   |
|----------------|---|
| Status         | Active  |
| Category       | Heavy-Duty Connectors   |
| Series         | 93601   |
| Description    | GWconnect HE - Harsh Environment, Double Lever Surface Mount Housing, Die-cast Aluminum, with 2 Levers, with Gasket, Size 10B «57x27», Pg16 Thread, Black |
| Component Type | Double Lever SMT Housing  |
| IP Rating      | IP66  |
| Product Name   | GWconnect   |
| Standard       | ANSI/UL 50, ANSI/UL 50 E, CSA C22.2 No.94-1-2, EN 61984   |
| Type           | HE  |
| UPC            | 887191828831  |

### Agency

|     |         |
|-----|---------|
| CSA | 256883  |
| UL  | E249674 |

### Electrical

|                   |      |
|-------------------|------|
| Voltage - Maximum | 500V |
|-------------------|------|

### Physical

|                     |                   |
|---------------------|-------------------|
| Component Size      | 10B «57X27»       |
| Housing Coating     | Polyester Powder  |
| Housing Color       | Black RAL 9005    |
| Lock to Mating Part | Yes               |
| Material - Gasket   | NBR               |
| Material - Housing  | Die-cast Aluminum |
| Material - Lever    | Galvanized Steel  |
| Mounting Style      | Surface Mount     |

|                  |           |
|------------------|-----------|
| Net Weight       | 255.000/g |
| Number of Levers | 2         |
| Packaging Type   | Bag       |
| Thread Size      | Pg16      |
| Thread Type      | (Pg)      |

---

**Use with Part(s)**

| Description | Part Number   |
|-------------|---|
| Use With    | Size 10B «57x27» S-D, S-DD, S-E, S-EE, S-EP, S-ES, S-HSB, S-ESHV, S-K, S-M, and S-EHV Inserts |

---

This document was generated on Mar 27, 2025