



Part Number : [936030096](#)

Product Description : GWconnect Connector Kit, 24 Pole, Series S-E Female-Male Inserts, M25 Metal Cable Gland, M25 Die-cast Aluminum Hood-Top Entry, Surface Mount Housing-Vertical, 2 Lever, Size 24B «104x27», Grey

Series Number : 93603

Status : Active

Product Category : Heavy-Duty Connectors

Engineering Number : 7924.7767.5



---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Heavy-Duty Connectors
Series	93603
Description	GWconnect Connector Kit, 24 Pole, Series S-E Female-Male Inserts, M25 Metal Cable Gland, M25 Die-cast Aluminum Hood-Top Entry, Surface Mount Housing-Vertical, 2 Lever, Size 24B «104x27», Grey
Component Type	Connector Kit - Female+Male
Insert Series	S-E
Product Name	GWconnect
UPC	887191865782

### Electrical

Current - Maximum per Contact	16.0A
Voltage - Maximum	500V

### Physical

Component Size	24B «104X27»
Lock to Mating Part	Yes
Mounting Style	Surface Mount
Net Weight	815.000/g
Packaging Type	Bag
Thread Size	M25
Thread Type	(M) Metric

---

### Kit Component Parts

Description	Part Number
GWconnect Metal Cable Gland, with Washer and Gaskets, M25x1.5 Thread	<u>0936000047</u>
GWconnect STD - Standard, Double Lever Hood, Die-cast Aluminum, with 4 Pegs, Top Entry, Size 24B «104x27», Extended M25 Thread, Grey	<u>0936013775</u>
GWconnect Screw Terminal Insert, Male, 24-Pole, 16A, Numbered 1-24, with Wire Protection, Silver (Ag) Plated Contacts, Size 24B «104x27»	<u>0936010307</u>

GWconnect Screw Terminal Insert, Female, 24-Pole, 16A, Numbered 1-24, with Wire Protection, Silver (Ag) Plated Contacts, Size 24B «104x27»	<u>0936010297</u>
GWconnect STD - Standard, Double Lever Surface Mount Housing, Die-cast Aluminum, with 2 Levers, with Gasket, Size 24B «104x27», M25 Thread, Grey	<u>0936013522</u>

---

This document was generated on Mar 27, 2025